



AVPRO
CF



ANGELBIRD.COM



PRONTI A CATTURARE
I VOSTRI MOMENTI DI CREATIVITA'

AV PRO CF (240GB)

LA VOSTRA ARTE SI BASA SULLA SPONTANEITA'. NEI MOMENTI CREATIVI, DOVETE POTER LAVORARE IN COMPLETA LIBERTA' E TRANQUILLITA', FIDANDOVI DEI VOSTRI STRUMENTI E DELLA VOSTRA ARTE. IN ANGELBIRD, PARLIAMO LA VOSTRA LINGUA E PROGETTIAMO PRODOTTI CHE SUPPORTINO IL VOSTRO PROCESSO CREATIVO. IN PRATICA, POTETE DIMENTICARVI DI NOI. QUANDO SI TRATTA DI CATTURARE LA VOSTRA CREATIVITA', FIDATEVI CHE NOI SAREMO LI' PER VOI.

SPECIFICHE E FUNZIONALITA'



up to **540 MB/s**
up to **76.000 IOPS**



Safety pouch incl.
4 × CFast, 6 × Compact Flash, 2 × XQD



160 GB / 240 GB



X-ray & magnetic proof



**Atomos / Canon
Blackmagic Design
Phase One / Hasselblad**



ESD & overload protection



Stable Stream™



Rock-solid build



Sticker-Free™
hassle free and enviromental friendly

SPECIFICHE

AV PRO CF

SPECIFICHE GENERALI

Capacity
160 GB / 240 GB

Dimensions
42.8 × 36.4 × 3.3 mm
(1.69 × 1.43 × 0.13 in)

Form Factor
CFast

Weight
~ 10.0g

SPECIFICHE TECNICHE

Interface
CFast 2.0³
SATA 3.1 compliant

Over provisioning
~ 13 %

Features
Temperature sensor, TRIM, ECC, EMS protection, built-in cache, SMART

SPECIFICHE PRESTAZIONI

Sustained Read Speed¹
Up to 540 MB/s

Sustained Write Speed¹
Up to 380 MB/s

SPECIFICHE DI AFFIDABILITA'

MTBF
> 2,000,000 hours

Data Reliability
Built-in EDC / ECC function

Data Retention
10 years at 25°C

Certifications
RoHS, CE, FCC

SPECIFICHE ELETTRICHE

DC input voltage
3.3V ± 5%

Power usage (idle/max)
0.37W / 2.22W

SPECIFICHE AMBIENTALI

Shock resistance (operating)
50G

Vibration resistance (operating)
3.1G

Operating Temperature
0°C ~ +70°C

Storage Temperature
-40°C ~ +85°C

Operating Humidity
5% to 95% non-condensing

LISTA COMPATIBILITA'

Atomos
Blackmagic Design
Canon
Phase One
Hasselblad

GARANZIA²

3-year limited warranty

CONTENUTO CONFEZIONE

- SSD AV PRO CF
- Safety pouch
- Activation code for the full limited warranty and additional free software licenses and content

DETTAGLI CONFEZIONE

Box dimension
145.0 × 102.0 × 41.0 mm
(5.71 × 4.02 × 1.61 in)

Weight
~ 52.0g

- ¹ Speed based on internal testing
- ² To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.
- ³ CFast compliance testing pending

CFast®, Compact Flash® and QXD® are registered trademarks of Compact Flash Association.
Atomos® is a registered trademark of Atomos Global Pty. Ltd.
Blackmagic Design® is a registered trademark of Blackmagic Design Pty. Ltd.
Canon® is a registered trademark of Canon Inc.
Phase One® is a registered trademark of Phase One A/S.
Hasselblad® is a registered trademark of Hasselblad.

MODELLI

Capacity	SKU	EAN	UPC
● 160 GB	AVP160CF	9120056582747	812937021566
● 160 GB x 2	AVP160CFX2	9120056582723	812937021542
● 160 GB x 4	AVP160CFX4	9120056582730	812937021559
● 240 GB	AVP240CF	9120056582624	812937021436
● 240 GB x 2	AVP240CFX2	9120056582709	812937021528
● 240 GB x 4	AVP240CFX4	9120056582716	812937021535

SSD